



LUMITRON
the art of performance lighting

Downlights



Contents

	TIPO 89 - 89mm Downlight	02
	TIPO 110 - 110mm Downlight	03
	TIPO 110 - 110mm Multi-Bezel Attachments	04
	TIPO 130 - 130mm Downlight	05
	TIPO 130 - 130mm Multi-Bezel Attachments	06
	DLN192 - 192mm Downlight	07
	DLN195 - 195mm Multi-Bezel Downlight	08
	DLN192 - 192mm Fixed Attachments	09
	DLN195 - 195mm Multi-Bezel Attachments	09
	DLN237 - 237mm Downlight	11
	DLN237 - 237mm Fixed Attachments	12
	DLN295 - 295mm Downlight	13
	DLN295 - 295mm Fixed Attachments	14
	DLK244 - 244mm Square Downlight	15
	DLK280 - 280mm Square Downlight	15
	DLW195 - 195mm Adjustable Wall Washer	17
	DLW237 - 237mm Fixed Wall Washer	18
	RM130 - 130mm Display Luminaire	19
	RM186 - 186mm Display Luminaire	19
	RM195 - 195mm Display Luminaire	20
	Terms & Conditions of Sale	21

TIPO 89 - 89mm Downlight

Lamps

ODL89/110
(1 x 10W)

ODL89/113
(1 x 13W)

ODL89/118
(1 x 18W)

Bezel



/OE
(Open - Standard)



/RSG1
(Outer Etched Halo Glass)

Control Gear

/HF
(Fixed Output High Frequency)
(Standard)

/HFDAL
(DALI Dimming)

/HFDIG
(Digital Dimming)

/HFDIM
(1-10V Dimming)

TIPO 89 Series Specification

The TIPO 89 is an 89mm diameter compact fluorescent downlighter, it is available with an open reflector, sealed to IP44/IP54 or see attachments listed below.

Various lamp options are available and where there is a depth restriction the control gear can be mounted in a remote housing. Suffix **/GBR****.

Available Attachments:

/RSG /RSG1 /SZ /SZ1 /SZ2 (See Page 09 for Images)

Bezel Finish Options:

/WH (White)
(Standard)


/CH (Chrome)

/SP
(Any RAL Colour)
Subject to minimum quantity.



To specify a TIPO 89, 1 x 13W, high frequency, with a white bezel and etched halo drop glass:
ODL89/113/RSG1/HF/WH

Integral Gear



(Standard)
(Integral Gear)
High frequency control gear only.
Recess depth of 135mm.

/GBR**
(Remote Control Gear)
Dimming options on the TIPO range are remotely mounted.
Recess depth of 155mm.

Emergency Options

/3RM
Remotely mounted 3 hour emergency inverter with batteries & green LED.
Not Self Test.

/3ST
3 hour emergency inverter with batteries & green LED.
Self Test Option. Please enquire for details.

Ref No.	Wattage	Lamp Type	/HF	/HFDAL	/HFDIG	/HFDIM	/OE	Glass	/IP44	/IP54	Emergency*
ODL89	1 x 10W	PLC	✓	✓**	✓**	✓**	✓	✓	✓	✓	✓
ODL89	1 x 13W	PLC/PLT	✓	✓**	✓**	✓**	✓	✓	✓	✓	✓
ODL89	1 x 18W	PLC/PLT	✓	✓**	✓**	✓**	✗	✓	✗	✗	✓

* Remotely mounted emergency. Suffix /3RM (NOT SELF TEST) or /3ST for Self Test.

** Access to void space required as remote dimming ballast is larger than luminaire cut-out diameter.

TIPO 110 - 110mm Downlight

Lamps

ODL110/113
[1 x 13W]

ODL110/118
[1 x 18W]

ODL110/126
[1 x 26W]

Bezel Finish



/WH
[White Bezel - Standard]



/CHR
[Chrome Bezel]



/AB
[Brushed Aluminium Bezel]

Control Gear


/HF
[Fixed Output High Frequency]
[Standard]

/HFDAL
[DALI Dimming]


/HFDIG
[Digital Dimming]

/HFDIM
[1-10V Dimming]

Integral



Remote Gear



/GBR
[Remote Control Gear]
Dimming options on the TIPO range are remotely mounted.
Recess depth of 170mm.

Emergency Options

/3RM
Remotely mounted 3 hour emergency inverter with batteries & green LED. Not Self Test.

/3ST
3 hour emergency inverter with batteries & green LED. Self Test Option. Please enquire for details.

TIPO 110 - 110mm Multi-Bezel Attachments

Attachments



/T03

(Clear Halo Ring)



/T04

(Blue Halo Ring)



/DG2

(Dropped Glass - /WH Only)



IP54/BR

(Sealed Opal Domed Glass)



/IPDC (Clear)

/IPDG (Green)



/IPDR (Red)

/IPDB (Blue)



/IPFW (White)

/IPFG (Green)



/IPFR (Red)



/RWC (Clear)

/RWG (Green)



/RWR (Red)

/RWB (Blue)



/OCC (Clear)

/OCG (Green)



/OCR (Red)

/OCB (Blue)



/WW

(Wall Washer)



/IP54/SZ

(Clear Sealed Glass)



/IP54/SZ1

(Etched Sealed Glass)

TIPO 110 Series Specification:

The TIPO 110 is a small diameter high output luminaire with over 20 attachment options.

The Multi-Bezel system allows flexibility to interchange accessories and bezel finishes to alter appearances.

High specular anodised diamond faceted reflectors replicate the sparkle of LV lamps.

Dual air vent system optimises lamp life and performance.

30 minute fire rated version available. Suffix **/FR30**

To specify a TIPO 110 with a 1 x 18W lamp, remotely mounted High Frequency DALI Dimming Ballast with a Chrome Bezel and Blue Halo Ring:

ODL110/118/CHR/HFDAL/GBR/T04

Ref No.	Wattage	Lamp Type	HF	HFDAL	HFDIG	HFDIM	Gear Box Remote	EM*	Attachments
ODL110	1 x 10W	PLC	✓	✓	✓	✓	Required for Dimming	✓	✓
ODL110	1 x 13W	PLC/PLT	✓	✓	✓	✓	Required for Dimming	✓	✓
ODL110	1 x 18W	PLC/PLT	✓	✓	✓	✓	Required for Dimming	✓	✓
ODL110	1 x 26W	PLC/PLT	✓	✓	✓	✓	Required for Dimming	✓	✓**

* Remotely mounted emergency. Suffix /3RM (NOT SELF TEST) or /3ST for Self Test.

** 26W lamp not for use with attachments IP54/SZ1 or /WW.

TIPO 130 - 130mm Downlight

Lamps

ODL130/110
[1 x 10W]

ODL130/113
[1 x 13W]

ODL130/118
[1 x 18W]

ODL130/126
[1 x 26W]

ODL130/132
[1 x 32W]

Bezel Finish



/WH
[White Bezel - Standard]



/CHR
[Chrome Bezel]



/AB
[Brushed Aluminium Bezel]

Control Gear


/HF
[Fixed Output High Frequency]
[Standard]

/HFDAL
[DALI Dimming]


/HFDIG
[Digital Dimming]

/HFDIM
[1-10V Dimming]

Integral



Remote Gear



/GBR
[Remote Control Gear]
Dimming options on the TIPO range
are remotely mounted.
Recess depth of 198mm.

Emergency Options

/3RM
Remotely mounted 3 hour emergency inverter with batteries & green LED. Not Self Test.

/3ST
3 hour emergency inverter with batteries & green LED.
Self Test Option. Please enquire for details.

TIPO 130 - 130mm Multi-Bezel Attachments

Attachments



/T03
(Clear Halo Ring)



/T04
(Blue Halo Ring)



/DG2
(Dropped Glass - /WH Only)



IP54/BR
(Sealed Opal Domed Glass)



/IPDC (Clear) /**IPDR** (Red)
/IPDG (Green) /**IPDB** (Blue)



/IPFW (White) /**IPFR** (Red)
/IPFG (Green) /**IPFB** (Blue)



/RWC (Clear) /**RWR** (Red)
/RWG (Green) /**RWB** (Blue)



/OCC (Clear) /**OCR** (Red)
/OCG (Green) /**OCB** (Blue)



/WW
(Wall Washer)



/IP54/SZ
(Clear Sealed Glass)



/IP54/SZ1
(Etched Sealed Glass)

TIPO 130 Series Specification:

The TIPO 130 is the largest of the TIPO range, however at only 130mm overall, this is a versatile luminaire available as open, sealed to IP44/IP54 or see range of attachments above.

The reflector incorporates high quality diamond facets, these facets help limit glare, a benefit when using high output lamp options. The body's dual air vent system optimises lamp life and performance.

Various lamp options up to the 32W PLT offer the opportunity to specify a small diameter luminaire with a high output. The TIPO 130 is supplied as standard with integral high frequency fixed output ballast or with remotely mounted dimming.

To specify a 1 x 18W, High Frequency DALI Dimming TIPO 130 with a White Bezel and Wall Washer:
ODL130/118/WH/HFDAL/GBR/WW

Ref No.	Wattage	Lamp Type	HF	HFDAL	HFDIG	HFDIM	Gear Box Remote	Emergency*	Attachments
ODL130	1 x 10W	PLC	✓	✓	✓	✓	Required for Dimming	✓	✓
ODL130	1 x 13W	PLC/PLT	✓	✓	✓	✓	Required for Dimming	✓	✓
ODL130	1 x 18W	PLC/PLT	✓	✓	✓	✓	Required for Dimming	✓	✓
ODL130	1 x 26W	PLC/PLT	✓	✓	✓	✓	Required for Dimming	✓	✓
ODL130	1 x 32W	PLT	✓	✓	✓	✓	Required for Dimming	✓	✓

* Remotely mounted emergency. Suffix /3RM (NOT SELF TEST) or /3ST for Self Test.

DLN192 - 192mm Downlight

Lamps

DLN192/113 (1 x 13W) DLN192/118 (1 x 18W) DLN192/126 (1 x 26W) DLN192/132 (1 x 32W) DLN192/142 (1 x 42W) DLN192/213 (2 x 13W) DLN192/218 (2 x 18W) DLN192/226 (2 x 26W)

Reflector



/SL
[Vertical Facetted]



/DI
[Diamond Facetted]



/PS
[Highly Polished Specular]



/SE
[Satin Etched]

Control Gear

The DLN192 is a fixed bezel downlight. There are three optional factory fitted attachments available. See page 09.

DLN192 & DLN195 Specification:

High efficiency with DLOR of upto 75%.

Bezel Diameter: 192mm - Fixed Bezel
195mm - Multi-Bezel

Die-cast bezel finished RAL9010 Finetex 20% gloss.

Wide variety of lamp options.

Diamond facetted reflectors (**/DI** & **/ZK**) are low brightness and are ideal for use in office environments.

Emergency versions are manufactured in accordance with ICEL 1004:2003.

DLN192 available in 3 finishes:

/WH (White)
(Standard)

/CHR (Chrome)

/SP
(Any RAL Colour)
Subject to minimum quantity.

/AB
(Brushed Aluminium)



DLN195 Series 195mm Multi-Bezel:

The Multi-Bezel range comes complete with a removable bezel system that allows a wide variety of decorative attachments to be fitted. The range of attachments can be found on page 09 and 10.

To specify a DLN195 series with a diamond facetted reflector, remotely mounted control gear, high frequency DALI ballast for 2x26W lamps with Multi-Bezel and etched halo drop glass:
DLN195/226/ZK/HFDAL/GBR/RSG1

DLN195 - 195mm Multi-Bezel Downlight

Lamps

DLN195/113 (1 x 13W) DLN195/118 (1 x 18W) DLN195/126 (1 x 26W) DLN195/132 (1 x 32W) DLN195/142 (1 x 42W) DLN195/213 (2 x 13W) DLN195/218 (2 x 18W) DLN195/226 (2 x 26W)

Reflector



/SL
[Vertical Facetted]



/DI
[Diamond Facetted]



/PS
[Highly Polished Specular]



/SE
[Satin Etched]

Control Gear

/HF
[Fixed Output High Frequency]
[Standard]



/HFDAL
[DALI Dimming]

/HFDIG
[Digital Dimming]

/HFDIM
[1-10V Dimming]

Integral or Remote Gear

[Standard]
[Integral Gear]
Recess depth of 145mm.



/GBR
[Remote Control Gear]
Ideal for shallow ceiling voids.
Recess depth of 105mm.

/GBR must be specified if remote gear is required.

Emergency Options

/3RM
Remotely mounted 3 hour emergency inverter with batteries & green LED. Not Self Test.

/3ST
3 hour emergency inverter with batteries & green LED. Self Test Option. Please enquire for details.

DLN192 Fixed Attachments

DLN195 Multi-Bezel Attachments

DLN192 Attachments



/IP65
(IP65 Glass)



/FC
(For **/SL** Reflector Only)



/IP54 OPR
(For **/SL** Reflector Only)



/K1
(Kick Reflector for **/SL** Only)

DLN195 Attachments



/RSG
(Outer Etched Drop Glass)



/RSG1
(Etched Halo Drop Glass)



/RSG3
(Clear Halo Drop Glass)



/SZ
(Clear Drop Glass)



/IP54 SZ
(IP54 Clear Glass)



/IP54 SZ1
(IP54 Etched Glass)



/IP54 SZ2
(IP54 Inner Etched Glass)



/IP54 PC
(IP54 Clear Polycarbonate)



/SIPER RSG
(Siper Outer Etched Drop Glass)



/SIPER RSG1
(Siper Etched Halo Drop Glass)



/SIPER RSG3
(Siper Halo Drop Glass)



/SIPER SZ
(Siper Clear Drop Glass)

Attachments:

The DLN192 attachments are factory fitted and are not changeable.

The DLN195 series offers greater flexibility with a larger range of attachments. These attachments can easily be changed after installation. The fitting can therefore take on a whole new appearance to suit the needs of changing tenants.

All drop glass attachments are provided with spacers. A rating of IP44 can be achieved by removing the spacers and applying the glass (except halo styles) directly onto the bezel.

DLN195 Multi-Bezel Attachments

DLN195 Attachment Fixings:

Attachments are available with either flat stud fixings or conical stud fixings. Attachments will be supplied as standard with flat stud fixings if not specified.



/FS (Flat Stud Fixing)



/CF (Conical Stud Fixing)



DLN195 Attachments



/SZ1
(Etched Drop Glass)



/SZ2
(Inner Etched Drop Glass)



/SZ3
(Printed Glass)



/FL
(Fresnel Lens)



/IP54 OP
(IP54 Polycarbonate)



/UFO C
(Etched Glass Disc with Reflector)



/UFO B
(Blue Acrylic Disc with Reflector)



/UFO R
(Red Acrylic Disc with Reflector)



/SIPER SZ1
(Siper Etched Drop Glass)



/SIPERR SZ2
(Siper Inner Etched Drop Glass)



/T03
(Clear Halo Ring)



/T04
(Blue Halo Ring)



/SIPER B
(Siper Blue Halo Drop Glass)



/SIPER G
(Siper Green Halo Drop Glass)



/SIPER R
(Siper Red Halo Drop Glass)

DLN237 - 237mm Downlight

Lamps

DLN237/118 (1 x 18W) DLN237/126 (1 x 26W) DLN237/132 (1 x 32W) DLN237/142 (1 x 42W) DLN237/218 (2 x 18W) DLN237/226 (2 x 26W) DLN237/232 (2 x 32W) DLN237/242 (2 x 42W)

Reflector



/SL
(Vertical Facetted)



/DI
(Diamond Facetted)



/PS
(Highly Polished Specular)



/SE
(Satin Etched)

Control Gear

/HF
(Fixed Output High Frequency)
(Standard)



/HFDAL
(DALI Dimming)

/HFDIG
(Digital Dimming)

/HFDIM
(1-10V Dimming)

Integral or Remote Gear

(Standard)
(Integral Gear)
Recess depth of 209mm.



/GBR
(Remote Control Gear)
Ideal for shallow ceiling voids.
Recess depth of 164mm

/GBR must be specified if remote gear is required.

Emergency Options

/3RM
Remotely mounted 3 hour emergency inverter with batteries & green LED. Not Self Test.

/3ST
3 hour emergency inverter with batteries & green LED. Self Test Option. Please enquire for details.

DLN237 - 237mm Fixed Attachments

Attachments



/RSG
(Outer Etched Drop Glass)



/SZ
(Clear Drop Glass)



/RSG3
(Clear Halo Drop Glass)



/SZ2
(Inner Etched Drop Glass)



/RSG1
(Etched Halo Drop Glass)



/SZ1
(Etched Drop Glass)



/FC
(Four Cell)



/SIPER RSG3
(Siper Clear Halo Drop Glass)



/UFO C
(Etched Glass Disc & Reflector)



/UFO B
(Blue Acrylic Disc & Reflector)



/UFO G
(Green Acrylic Disc & Reflector)



/IP65
(IP65 Glass)



/HDI
(Etched Halo Glass & Reflector)



/IP54 OP
(IP54 Polycarbonate)



/IP54
(IP54 Glass)



/RT or /RT LV
(6 Cell or 6 Cell with LV)

DLN237 Specification:

High efficiency with DLOR of upto 73%.

Bezel Diameter: 237mm.

Die-cast bezel finished RAL9010 Finetex 20% gloss.

Wide variety of lamp options/sizes.

Diamond faceted reflectors (**/DI**) are low brightness and are ideal for use in office environments.

Emergency versions are manufactured in accordance with ICEL 1004:2003.

To specify a DLN237 series with a highly polished specular reflector, integral digital dimming control gear for 2 x 32W lamps and inner etched drop glass attachment:

DLN237/232/PS/HFDIG/SZ2

DLN237 Attachment Fixings:

Attachments are available with either flat stud fixings or conical stud fixings. Attachments will be supplied as standard with flat stud fixings if not specified.



/FS (Flat Stud Fixing)



/CF (Conical Stud Fixing)


Bezels available in 4 finishes:

/WH (White)
(Standard)

/CHR (Chrome)

/SP
(Any RAL Colour)
Subject to minimum quantity.

/AB
(Brushed Aluminium)



DLN295 - 295mm Downlight

Lamps

DLN295/126 (1 x 26W) DLN295/132 (1 x 32W) DLN295/142 (1 x 42W) DLN295/226 (2 x 26W) DLN295/232 (2 x 32W) DLN295/242 (2 x 42W) DLN295/160 (1 x 60W) DLN295/185 (1 x 85W)

Reflector



/DI
(Diamond Facetted)



/RT or /RTL
(6 Cell or 6 Cell with LV)

Control Gear

/HF
(Fixed Output High Frequency)
(Standard)


/HFDAL
(DALI Dimming)

/HFDIG
(Digital Dimming)


/HFDIM
(1-10V Dimming)

Integral or Remote Gear

(Standard)
(Integral Gear)
Recess depth of
235mm.



/GBR
(Remote Control Gear)
Ideal for shallow
ceiling voids.
Recess depth of
192mm.



/GBR must be
specified if remote
gear is required.

Emergency Options

/3RM

Remotely mounted 3 hour emergency inverter with batteries & green LED. Not Self Test.

/3ST

3 hour emergency inverter with batteries & green LED. Self Test Option. Please enquire for details.

DLN295 - 295mm Fixed Attachments

Attachments



/RSG
(Outer Etched Drop Glass)



/RSG1
(Etched Halo Drop Glass)



/RSG3
(Clear Halo Drop Glass)



/SZ
(Clear Drop Glass)



/SZ1
(Etched Drop Glass)



/SZ2
(Inner Etched Drop Glass)

DLN295 Specification:

High efficiency with DLOR of upto 81%.

Bezel Diameter: 295mm.

Die-cast bezel finished RAL9010 Finetex 20% gloss.

Wide variety of lamp options/sizes.

Super pure aluminium reflector with 2 stage reflector to minimise inter lamp absorption.

Emergency versions are manufactured in accordance with ICEL 1004:2003.

To specify a DLN295 series with integral high frequency ballast for a 1 x 85W PLH lamp as an open fitting:

DLN295/185/DI/HF

DLN295 Attachment Fixings:

Attachments are available with either flat stud fixings or conical stud fixings. Attachments will be supplied as standard with flat stud fixings if not specified.

/FS (Flat Stud Fixing)



/CF (Conical Stud Fixing)



Ref No.	Wattage	Lamp Type	HF	HFDAL	HFDIG	HFDIM	EM*	Attachments
DLN295	1 x 26W	PLC/PLT	✓	✓	✓	✓	✓	✓
DLN295	1 x 32W	PLT	✓	✓	✓	✓	✓	✓
DLN295	1 x 42W	PLT	✓	✓	✓	✓	✓	✓
DLN295	2 x 26W	PLC/PLT	✓	✓	✓	✓	✓	✓
DLN295	2 x 32W	PLT	✓	✓	✓	✓	✓	✓
DLN295	2 x 42W	PLT	✓	✓	✓	✓	✓	✓
DLN295	1 x 60W	PLH	✓	✗	✗	✗	✗	✓
DLN295	1 x 85W	PLH	✓	✗	✗	✗	✗	✓

* Remotely mounted emergency. Suffix /3RM (NOT SELF TEST) or /3ST for Self Test.

DLK244 & DLK280 - 244/280mm Square Downlights

Lamps

DLK244/126 (1 x 26W) **DLK244/132** (1 x 32W) **DLK244/142** (1 x 42W)

Lamps

DLK280/226 (2 x 26W) **DLK280/232** (2 x 32W) **DLK280/242** (2 x 42W)

Reflector

Reflector



/SE
[Satin Etched]

/SE
[Satin Etched]

Control Gear

/HF
(Fixed Output High Frequency)
(Standard)

/HFDAL
(DALI Dimming)

/HFDIG
(Digital Dimming)


/HFDIM
(1-10V Dimming)

Remote/Integral Gear

Remote/Integral Gear


(Standard)
(Integral Gear)
Recess depth of
192mm.

/GBR
(Remote Control
Gear)
Recess depth of
150mm.



(Standard)
(Integral Gear)
Recess depth of
210mm.

/GBR
(Remote Control
Gear)
Recess depth of
185mm.



Emergency Options

/3RM
Remotely mounted 3 hour emergency inverter with batteries & green LED. Not Self Test.

/3ST
3 hour emergency inverter with batteries & green LED. Self Test Option. Please enquire for details.


DKW244 - 244mm Square Wall Washer DLK244, DLK280 & DKW244 - Fixed Attachments

Wall Washer Option

DKW244/126
(1 x 26W)

DKW244/132
(1 x 32W)

DKW244/142
(1 x 42W)




Integral gear Only


Attachments



/EIG
(Etched Inner Glass)



/CLG
(Clear Glass)



/EOG
(Etched Outer Glass)

DLK244 & DLK 280 Specification:

Die-cast bezel finished RAL9010 Finetex 20% gloss.

Wide variety of lamp options/sizes.

Emergency versions are manufactured in accordance with ICEL 1004:2003

All drop glass attachments are provided with spacers. A rating of IP44 can be achieved by removing the spacers and applying the glass directly onto the bezel.

To Specify a DLK 280mm square, 2x26W lamps, with Satin Etched Reflector, High Frequency with Etched Inner Glass:
DLK280/226/SE/HF/EIG

Ref No.	Wattage	Lamp Type	Bezel Size	HF	HFDAL	HFDIG	HFDIM	EM*	Attachments
DLK244	1 x 26W	PLT	244 x 244	✓	✓	✓	✓	✓	✓
DLK244	1 x 32W	PLT	244 x 244	✓	✓	✓	✓	✓	✓
DLK244	1 x 42W	PLT	244 x 244	✓	✓	✓	✓	✓	✓
DLK280	2 x 26W	PLT	280 x 280	✓	✓	✓	✓	✓	✓
DLK280	2 x 32W	PLT	280 x 280	✓	✓	✓	✓	✓	✓
DLK280	2 x 42W	PLT	280 x 280	✓	✓	✓	✓	✓	✓
DKW244	1 x 26W	PLT	244 x 244	✓	✓	✓	✓	✓	✓
DKW244	1 x 32W	PLT	244 x 244	✓	✓	✓	✓	✓	✓
DKW244	1 x 42W	PLT	244 x 244	✓	✓	✓	✓	✓	✓

* Remotely mounted emergency. Suffix /3RM (NOT SELF TEST) or /3ST for Self Test.

DLW195 - 195mm Adjustable Wall Washer

Lamps

DLW195/126
(1 x 26W)

DLW195/132
(1 x 32W)

Reflector



[Standard]
(Diamond Facetted Reflector - Adjustable)

Control Gear

/HF

(Fixed Output High Frequency)
[Standard]

/HFDAL

(DALI Dimming)

/HFDIG

(Digital Dimming)

/HFDIM

(1-10V Dimming)

DLW195 Adjust Specification:

Fully adjustable downlight which combines a powerful output with the efficient, extended lamp life and economy of a compact fluorescent.

Highly specular anodised diamond facetted reflector manufactured from super-pure aluminium.

Die-cast bezel & body finished in White RAL9010 Finetex, 20% gloss.


Emergency versions manufactured in accordance with ICEL 1004:2003.

To specify a DLW195 with a fixed high frequency ballast for 1 x 26W lamp & 3 hour emergency pack:

DLW195/126/ADJ/HF/3RM

Remote Gear

[Standard]
(Remote Control Gear)
Integral gear not available.
Recess depth of 160mm.



Emergency Options

/3RM

Remotely mounted 3 hour emergency inverter with batteries & green LED.
Not Self Test.

/3ST

3 hour emergency with batteries & green LED.
Self Test Option. Please enquire for details.

DLW237 - 237mm Fixed Wall Washer

Lamps

DLW237/126
(1 x 26W)

DLW237/132
(1 x 32W)

DLW237/142
(1 x 42W)

Reflector



/PS
(Highly Polished Specular)



/IP54
(IP54 Internal Clear Glass)

Control Gear

/HF
Fixed Output High Frequency
(Standard)

/HFDAL
(DALI Dimming)

/HFDIG
(Digital Dimming)

/HFDIM
(1-10V Dimming)

DLW237 Specification:

Bezel Diameter: 237mm.

Die-cast bezel finished RAL9010 Finetex 20% gloss.

Wide variety of lamp options/sizes.


Emergency versions are manufactured in accordance with ICEL 1004:2003.

Also available as a **DLN295 Wall Washer** with high output lamps upto 2 x 42W. Diameter of 295mm, recess depth of 258mm and Highly Polished Specular reflector.

To specify a DLW237 with a high frequency DALI dimming ballast for 1 x 32W lamp & specular reflector: DLW237/132/PS/HFDAL

Integral Gear

(Standard)
(Integral Gear)
Recess depth of 220mm.



Emergency Options

/3RM
Remotely mounted 3 hour emergency inverter with batteries & green LED. Not Self Test.

/3ST
3 hour emergency inverter with batteries & green LED. Self Test Option. Please enquire for details.

RM130 - 130mm

RM186 - 186mm

Lamps

RM1320T (1 x 20W) **RM1335T** (1 x 35W)

Bezel Colour




/AB
(Brushed Aluminium)

/WH
(White)

Control Gear

/ECG
(Electronic Transformer)

Remote Gear



(Remote Control Gear)
Recess depth of 120mm.



Lamps

RM1835T (1 x 35W) **RM1850T** (1 x 50W) **RM1870T** (1 x 70W) **RM18100S** (1 x 100W) **RM18150S** (1 x 150W)

Bezel Colour




/WH
(White)



Control Gear

/ECG
(Electronic Transformer)

Remote Gear



(Remote Control Gear)
Recess depth of 165mm.



RM130 Specification:

- High quality retail display luminaire.
- Choice of reflectors to give various degree of beam angles.
- Durable die-cast body with toughened safety glass.
- Full rotational control through 359 degrees with vertical adjustment upto 70 degrees. An internal locking mechanism can secure vertical adjustment to any preset position.
- To optimise lamp life, the RM130 is supplied with in-line electronic control gear.
- The twist and lock facia is easily removed for lamp replacement.
- Full electronic photometric data available.

RM186 Specification:

- High quality retail display feature luminaire.
- Durable die-cast body finished in White RAL9010 Finetex, 20% gloss.
- Full rotational control with vertical adjustment to any pre-set position.
- The front facia is easily removed for lamp replacement.
- To optimise lamp life, the RM186 is supplied complete with in-line electronic control gear.
- Sealed safety glass allows use in food preparation or serving areas.
- Enclosed rear chamber conforms to BS60598-2.2 1997.2.11.
- Full electronic photometric data available.

RM195 - 195mm

Lamps

RM1935T (1 x 35W) **RM1970T** (1 x 70W) **RM1935R** (1 x 35W) **RM1970R** (1 x 70W)

Lamps

Bezel

Bezel



/WH
(White)




/WH
(White)


Control Gear

/ECG
(Electronic Transformer)

Integral Gear



(Integral Gear)
Recess depth of 178mm.



RM195 Specification:

High quality retail display or feature luminaire.

Anti-glare baffle.

Durable die-cast body finished in white RAL9010 Finetex, 20% gloss.

Full rotational control with vertical adjustment to 45 degrees.

The front fascia is designed to allow easy removal for lamp replacement.

Integral control gear.

Full electronic photometric data available.

Specifications

RM130 Series

Ref No.	Wattage	Lamp	10°	20°	30°	60°	Control Gear
RM1320T	1 x 20W	CDM-TC	✓	✓	✓	✗	Electronic
RM1335T	1 x 35W	CDM-TC	✗	✗	✓	✓	Electronic

To specify a RM130 series luminaire in brushed aluminium for a 20W CDM-TC lamp, 30° beam angle and electronic control gear:

RM1320T/AB/ECG/30

RM186 Series

Ref No.	Wattage	Lamp Type	Colour	Control Gear
RM1835T	1 x 35W	CDM-T	White	Electronic
RM1850T	1 x 50W	CDM-T	White	Electronic
RM1870T	1 x 70W	CDM-T	White	Electronic
RM18100S	1 x 100W	SDW-TG	White	Electronic
RM18150S	1 x 150W	SDW-TG	White	Electronic

To specify a RM186 series luminaire in white with 70W CDM-T lamp and electronic control gear:

RM1870T/WH/ECG

RM195 Series

Ref No.	Wattage	Lamp Type	Colour	Control Gear
RM1935T	1 x 35W	CDM-T	White	Electronic
RM1970T	1 x 70W	CDM-T	White	Electronic
RM1935R	1 x 35W	CDM-R111	White	Electronic
RM1970R	1 x 70W	CDM-R111	White	Electronic

To specify a RM195 series luminaire in white with 35W CDM-T lamp and electronic control gear:

RM1935T/WH/ECG

Terms & Conditions of Sale

1 Interpretation. 1.1 In these Conditions: 'BUYER' means the person who accepts a quotation of the Seller for the sale of the goods or whose order for the goods is accepted by the Seller. 'GOODS' means the goods (including any instalment of the goods or any parts for them) which the Seller is to supply in accordance with these Conditions. 'SELLER' MEANS Performance Lighting Limited registered in England under number 3273329. 'CONDITIONS' means the standard terms and conditions set out in this document and (unless the context otherwise requires) includes any special terms and conditions agreed in writing between the Buyer and Seller. 'CONTRACT' means the contract for the purchase and sale of the Goods. 'WRITING' includes telex, cable, facsimile transmission, e-mail and comparable means of communication. 1.2 Any reference in these Conditions to any provision of a statute shall be construed as a reference to that provision as amended, re-enacted or extended at the relevant time. 1.3 The headings in these Conditions are for convenience only and shall not affect their interpretation.

2 Basis of the sale. 2.1 The Seller shall sell and the Buyer shall purchase the Goods in accordance with any written quotation of the Seller which is accepted by the Buyer, or any written order of the Buyer which is accepted by the Seller, subject in either case to the Conditions, which shall govern the Contract to the exclusion of any other terms and conditions subject to which any such quotation is accepted or purported to be accepted, or any such order is made or purported to be made, by the Buyer. 2.2 No variation to these Conditions shall be binding unless agreed in writing between the authorised representatives of the Buyer and the Seller. 2.3 The Seller's employees or agents are not authorised to make any representations concerning the Goods unless confirmed by the Seller in writing. In entering into the Contract the Buyer acknowledges that it does not rely on any such representations which are not so confirmed. 2.4 Any advice or recommendation given by the Seller or its employees or agents to the Buyer or its employees or agents, as to the storage, application or use of the Goods which is not confirmed in writing by the Seller is followed or acted upon entirely at the Buyer's own risk, and accordingly the Seller shall not be liable for any such advice or recommendation which is not confirmed. 2.5 Any typographical, clerical or other error or omission in any sales literature, quotation, price list, acceptance of offer, invoice or other document or information issued by the Seller shall be subject to correction without any liability on the part of the Seller.

3 Orders and specifications. 3.1 No order submitted by the Buyer shall be deemed to be accepted by the Seller unless and until confirmed in writing by the Seller's authorised representative. 3.2 The Buyer shall be responsible to the Seller for ensuring the accuracy of the terms of any order (including any applicable specification) submitted by the Buyer and for giving the Seller any necessary information relating to the Goods within a sufficient time to enable the Seller to perform the Contract in accordance with its terms. 3.3 The quantity, quality and description of and any specification for the Goods shall be those set out in the Seller's quotation. 3.4 If the Goods are to be manufactured or any process is to be applied to the Goods by the Seller in accordance with a specification submitted by the Buyer, the Buyer shall indemnify the Seller against all loss, damages, costs and expenses awarded against or incurred by the Seller in connection with or paid or agreed to be paid by the Seller in settlement of any claim for infringement of any patent, copyright, design, trade mark or other industrial or intellectual property rights of any other person which results from the Seller's use of the Buyer's specification. 3.5 The Seller reserves the right to make any changes in the specification of the Goods which are required to conform with any applicable statutory or EC requirements or, where the Goods are to be supplied to the Seller's specification, which do not materially affect their quality or performance. 3.6 No order which has been accepted by the Seller may be cancelled by the Buyer except with the agreement in writing of the Seller and on terms that the Buyer shall indemnify the Seller in full against all loss (including loss of profit), costs (including the cost of all labour and materials used), damages, charges and expenses incurred by the Seller as a result of cancellation.

4 Price of the goods. 4.1 The price of the Goods shall be the Seller's quoted price or, where no price has been quoted (or a quoted price is no longer valid), the price listed in the Seller's published price list current at the date of acceptance of the order. Where the Goods are supplied for export from the United Kingdom, the Seller's published export price list shall apply. All prices quoted are valid for 30 days only or until earlier acceptance by the Buyer, after which time they may be altered by the Seller without giving notice to the Buyer. 4.2 The Seller reserves the right, by giving notice to the Buyer at any time before delivery to increase the price of the Goods to reflect any increase in the cost to the Seller which is due to any factor beyond the control of the Seller such as, without limitation, any foreign exchange fluctuation, currency regulation, alteration of duties, significant increase in the costs of labour, materials or other costs of manufacture), any change in delivery dates, quantities or specifications for the Goods which is requested by the Buyer, or any delay caused by any instructions of the Buyer or failure of the Buyer to give the Seller adequate information or instructions. 4.3 Except as otherwise stated under the written terms of any quotation or in any price list of the Seller, and unless otherwise agreed in writing between the Buyer and the Seller, all prices are given by the Seller on an ex works basis, and where the Seller agrees to deliver the Goods otherwise than at the Seller's premises, the Buyer shall be liable to pay the Seller's charges for transport, packaging and insurance and any other trading costs. 4.4 The price is exclusive of any applicable value added tax, which the Buyer shall be additionally liable to pay to the Seller. 4.5 The cost of pallets and returnable containers will be charged to the Buyer in addition to the price of the Goods, but full credit will be given to the Buyer provided they are returned undamaged to the Seller before the due payment date.

5 Terms of payment. 5.1 Subject to any special terms agreed in writing between the Buyer and the Seller, the Seller shall be entitled to invoice the Buyer for the price of the Goods on or at any time after delivery of the Goods, unless the Goods are to be collected by the Buyer or the Buyer wrongfully fails to take delivery of the Goods, in which event the Seller shall be entitled to invoice the Buyer for the price at any time after the Seller has notified the Buyer that the Goods are ready for collection or (as the case may be) the Seller has tendered delivery of the Goods. 5.2 Provided no previous invoice is overdue, the Buyer shall be entitled to a prompt payment discount of 1.75% of the price of the goods (excluding any charge for transport, packaging or insurance) for payment within 28 days of the date of the Seller's invoice. 5.3 The Buyer shall pay the price of the Goods (less any discount to which the Buyer is entitled, but without any other deduction) within 30 days of the date of the Seller's invoice, and the Seller shall be entitled to recover the price, notwithstanding that delivery may not have taken place and the property in the Goods has not passed to the Buyer. The time of payment of the price shall be of the essence of the Contract. Receipts for payment will be issued only upon request. 5.4 If the Buyer fails to make any payment on the due date then, without prejudice to any other right or remedy available to the Seller, the Seller shall be entitled to: 5.4.1 cancel the contract, or suspend any further deliveries to the Buyer; 5.4.2 appropriate any payment made by the Buyer to such of the Goods (or the goods supplied under any other contract between the Buyer and the Seller) as the Seller may think fit notwithstanding any purported appropriation by the Buyer; and 5.4.3 unless at a rate permitted by statute (if higher) charge the Buyer interest (both before and after any judgement) on the amount unpaid, at the rate of 5 per cent per annum above Lloyds TSB Bank base rate from time to time, until payment in full is made (a part of a month being treated as a full month for the purpose of calculating interest).

6 Delivery. 6.1 Delivery of the Goods shall be made by the Buyer collecting the Goods at the Seller's premises at any time after the Seller has notified the Buyer that the Goods are ready for collection, or if some other place for delivery is agreed by the Seller, by the Seller delivering the Goods to that place. 6.2 Any dates quoted for delivery of the Goods are approximate only and the Seller shall not be liable for any delay in delivery of the Goods however caused. Time for delivery shall not be of the essence of the Contract unless previously agreed by the Seller in writing. The Goods may be delivered by the Seller in advance of the quoted delivery date upon giving reasonable notice to the Buyer. 6.3 Where the Goods are to be delivered in instalments, each delivery shall constitute a separate contract and failure by the Seller to deliver any one or more of the instalments in accordance with these Conditions or any claim by the Buyer in respect of any one or more instalments shall not entitle the Buyer to treat the Contract as a whole as repudiated. 6.4 If the Seller fails to deliver the Goods (or any instalment) for any reason other than any cause beyond the Seller's reasonable control or the Buyer's fault, and the Seller is accordingly liable to the Buyer, the Seller's liability shall be limited to the excess (if any) of the cost to the Buyer (in the cheapest available market) of similar goods to replace those not delivered over the price of the Goods. 6.5 If the Buyer fails to take delivery of the Goods or fails to give the Seller adequate delivery instructions at the time stated for delivery (otherwise than by reason of any cause beyond the Buyer's reasonable control or by reason of the Seller's fault) then, without prejudice to any other right or remedy available to the Seller, the Seller may: 6.5.1 store the goods until actual delivery and charge the Buyer for the reasonable costs (including insurance) of storage; or 6.5.2 sell the Goods at the best price readily obtainable and (after deducting all reasonable storage and selling expenses) account to the Buyer for the excess over the price under the Contract or charge the Buyer for any shortfall below the price under the Contract.

7 Risk and property. 7.1 Risk of damage to or loss of the Goods shall pass to the Buyer: 7.1.1 in the case of Goods to be delivered at the Seller's premises, at the time when the Seller notifies the Buyer that the Goods are available for collection; or 7.1.2 in the case of Goods to be delivered otherwise than at the Seller's premises, at the time of delivery or, if the Buyer wrongfully fails to take delivery of the Goods, the time when the Seller has tendered delivery of the Goods. 7.2 Notwithstanding delivery and the passing of risk in the Goods, or any other provision of these Conditions, the property in the Goods shall not pass to the Buyer until the Seller has received in cash or cleared funds payment in full of the price of the Goods and all other goods agreed to be sold by the Seller to the Buyer for which payment is then due. 7.3 Until such time as the property in the Goods passes to the Buyer, the Buyer shall hold the Goods as the Seller's fiduciary agent and bailee, and shall keep the Goods so far as it may be within its power or control, separate from those of the Buyer and third parties and properly stored, protected and insured and identified as the Seller's property. 7.4 Until such time as the property in the Goods passes to the Buyer (and provided the Goods are still in existence and capable of removal without damage to property the Seller shall be entitled at any time to require the Buyer to deliver up the Goods to the Seller and, if the Buyer fails to do so forthwith, to enter upon any premises of the Buyer or any third party where the Goods are stored and repossess the Goods. 7.5 The Buyer shall not be entitled to pledge or in any way charge by way of security for any indebtedness any of the Goods which remain the property of the Seller until payment, but if the Buyer does so all monies owing to the Seller shall (without prejudice to any of the right or remedy of the Seller) become immediately due and payable. Until payment the Buyer shall not be entitled to sell or attempt to sell any goods.

8 Warranties and liability. 8.1 Subject to the conditions set out below the Seller warrants that the Goods will correspond with their specification at the time of delivery and will be free from defects in material and workmanship for a period of 12 months from the date of their initial use or 12 months from delivery, whichever is the first to expire. 8.2 The above warranty is given by the Seller subject to the following conditions: 8.2.1 the Seller shall be under no liability in respect of any defect in the Goods arising from any drawing, design or specification supplied by the Buyer, 8.2.2 the Seller shall be under no liability in respect of any defect arising from fair wear and tear, wilful damage, negligence, abnormal working conditions, failure to follow the Seller's instructions (whether oral or in writing), misuse or alteration or repair of the Goods without the Seller's approval; 8.2.3 the Seller shall be under no liability under the above warranty (or any other warranty, condition or guarantee) if the total price for the Goods has not been paid by the due date for payment; 8.2.4 the above warranty does not extend to parts, materials or equipment not manufactured by the Seller, in respect of which the Buyer shall only be entitled to the benefit of any such warranty or guarantee as is given by the manufacturer to the Seller. 8.3 Subject as expressly provided in these Conditions, and except where the Goods are sold to a person dealing as a consumer (within the meaning of the Unfair Contract Terms Act 1977), all warranties, conditions or other terms implied by statute or common law are excluded to the fullest extent permitted by law. 8.4 Where the Goods are sold under a consumer transaction (as defined by the Consumer Transactions (Restrictions on Statements) Order 19076) the statutory rights of the Buyer are not affected by these Conditions. 8.5 Any claim by the Buyer which is based on any defect in the quality or condition of the Goods or their failure to correspond with specification shall (whether or not delivery is refused by the Buyer) be notified to the Seller within 7 days from the date of delivery or (where the defect or failure was not apparent on reasonable inspection) within a reasonable time after discovery of the defect or failure. If delivery is not refused and the Buyer does not notify the Seller accordingly, the Buyer shall not be entitled to reject the Goods and the Seller shall have no liability for such defect or failure, and the Buyer shall be bound to pay the price as if the Goods had been delivered in accordance with the Contract. 8.6 Where any valid claim in respect of any of the Goods which is based on any defect in the quality or condition of the Goods or their failure to meet specification is notified to the Seller in accordance with these Conditions, the Seller shall be entitled to replace the Goods (or the part in question) free of charge or, at the Seller's sole discretion, refund to the Buyer the price of the Goods (or a proportionate part of the price), but the Seller shall have no further liability to the Buyer. 8.7 Except in respect of death or personal injury caused by the Seller's negligence, the Seller shall not be liable to the Buyer by reason of any representation (unless fraudulent) or any implied warranty, condition or other term, or any duty at common law, or under the express terms of the Contract, for any indirect, special or consequential loss or damage (whether caused by the negligence of the Seller, its employees or agents or otherwise) which arise out of or in connection with the supply of the Goods or their use or resale by the Buyer, and the entire liability of the Seller under or in connection with the Contract shall not exceed the price of the Goods, except as expressly provided in these Conditions. 8.8 The Seller shall not be liable to the Buyer or be deemed to be in breach of the Contract by reason of any delay in performing, or any failure to perform, any of the Seller's obligations in relation to the Goods, if the delay or failure was due to any cause beyond the Seller's reasonable control. Without prejudice to the generality of the foregoing, the following shall be regarded as causes beyond the Seller's reasonable control: 8.8.1 Act of God, explosion, flood, tempest, fire or accident; 8.8.2 War or threat of war, sabotage, insurrection, civil disturbance or requisition; 8.8.3 Acts, restrictions, regulations, bye-laws, prohibitions or measures of any kind on the part of any governmental, parliamentary or local authority; 8.8.4 Import or export regulations or embargoes; 8.8.5 Strikes, lock-outs or other industrial actions or trade disputes (whether involving employees of the Seller or of a third party); 8.8.6 Difficulties in obtaining raw materials, labour, fuel, parts or machinery; 8.8.7 Power failure or breakdown in machinery

9 Indemnity 9.1 If any claim is made against the Buyer that the Goods infringe or that their use or resale infringes the patent, copyright, design, trade mark or other industrial or intellectual property rights of any other person, then unless the claim arises from the use of any drawing, design or specification supplied by the Buyer, the Seller shall indemnify the Buyer against all loss, damages, costs and expenses awarded against or incurred by the Buyer in connection with the claim, or paid or agreed to be paid by the Buyer in settlement of the claim, provided that: 9.1.1 the Seller is given full control of any proceedings or negotiations in connection with any such claim 9.1.2 the Buyer shall give the Seller all reasonable assistance for the purposes of any such proceedings or negotiations; 9.1.3 except pursuant to a final award, the Buyer shall not pay or accept any such claim, or compromise any such proceedings without the consent of the Seller (which shall not be unreasonably withheld) 9.1.4 the Buyer shall do nothing which would or might vitiate any policy of insurance or insurance cover which the Buyer may have in relation to such infringement, and this indemnity shall not apply to the extent that the Buyer recovers any sums under any such policy or cover (which the Buyer shall use its best endeavours to do); 9.1.5 the Seller shall be entitled to the benefit of, and the Buyer shall accordingly account to the Seller for, all damages and costs (if any) awarded in favour of the Buyer which are payable by, or agreed with the consent of the Buyer (which consent shall not be unreasonably withheld) to be paid by, any other party in respect of any such claim; and 9.1.6 without prejudice to any duty of the Buyer at common law the Seller shall be entitled to require the Buyer to take such steps as the Seller may reasonably require to mitigate or reduce any such loss, damages, costs or expenses for which the Seller is liable to indemnify the Buyer under this clause.

10 Insolvency of buyer 10.1 This clause applies if: 10.1.1 the Buyer makes any voluntary arrangement with its creditors or (being an individual or firm) becomes bankrupt or (being a company) becomes subject to an administration order or goes into liquidation (otherwise than for the purposes of amalgamation or reconstruction); or 10.1.2 an encumbrancer takes possession, or a receiver is appointed, of any of the property or assets of the Buyer; or 10.1.3 the Buyer ceases, or threatens to cease, to carry on business; or 10.1.4 the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly. 10.2 If this clause applies then, without prejudice to any other right or remedy available to the Seller, the Seller shall be entitled to cancel the Contract or suspend any further deliveries under the Contract without any liability to the Buyer, and if the Goods have been delivered but not paid for The price shall become immediately due and payable notwithstanding any previous agreement or arrangement to the contrary.

11 Export terms. 11.1 In these Conditions 'Incoterms' means the international rules for the interpretation of trade terms of the International Chamber of Commerce as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms shall have the same meaning in these Conditions, but if there is any conflict between the provisions of Incoterms and these Conditions, the latter shall prevail. 11.2 Where the Goods are supplied for export from the United Kingdom, the provisions of this clause 11 shall (subject to any special terms agreed in writing between the Buyer and the Seller) apply notwithstanding any other provision of these Conditions. 11.3 The Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and for the payment of any duties on them. 11.4 Unless otherwise agreed in writing between the Buyer and the Seller, the Goods shall be delivered F.O.B. the air or sea port of shipment and the Seller shall be under no obligation to give notice under section 32(3) of the Sale of Goods Act 1979. 11.5 The Buyer shall be responsible for arranging for testing and inspection of the Goods at the Seller's premises before shipment. The Seller shall have no liability for any claim in respect of any defect in the Goods which would be apparent on inspection and which is made after shipment, or in respect of any damage during transit. 11.6 Payment of all amounts due to the Seller shall be made by irrevocable Letter of Credit opened by the Buyer in favour of the Seller and confirmed by a bank in England acceptable to the Seller or, if the Seller has agreed in writing on or before acceptance of the Buyer's order to waive this requirement, by acceptance by the Buyer and delivery to the Seller of a bill of exchange drawn on the Buyer payable 60 days after sight to the order of the Seller at such branch of Lloyds TSB Bank in England as may be specified in the Bill of Exchange. 11.7 The Buyer undertakes not to offer the goods for resale in England Wales Scotland and Northern Ireland or any other country notified by the Seller to the Buyer at or before the time the Buyer's order is placed, or to sell the goods to any person if the Buyer knows or has reason to believe that that person intends to resell the goods in any such country.

12 General. 12.1 Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to that other party at its registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving the notice. 12.2 No waiver by the Seller of any breach of the Contract by the Buyer shall be considered as a waiver of any subsequent breach of the same of any other provision. 12.3 If any provision of these Conditions is held by any competent authority to be invalid or unenforceable in whole or in part the validity of the other provisions of these Conditions and the remainder of the provision in question shall not be affected. 12.4 The Contract shall be governed by the laws of England, and the Buyer agrees to submit to the non-exclusive jurisdiction of the English courts.

Lumitron Lighting (Services) Ltd
Unit 31 The Metro Centre
Tolpits Lane, Watford
Herts, WD18 9UD
Tel. +44 (0) 1923 226222
Fax. +44 (0) 1923 211300
sales@lumitron.co.uk
www.lumitron.co.uk

